

Amendments to the Claims

A complete list of pending claims follows:

1. (Currently Amended) A method for assigning one or more storage units to one or more host computers in an information handling system, the method comprising:

associating with an association module ~~one or more~~ at least one application identifiers- identifier and one or more storage unit identifiers to form ~~one or more~~ at least one association-associations, each application identifier identifying an application of a host computer, each storage unit identifier identifying a storage unit of the information handling system; and

for each association ~~of the one or more associations~~, assigning each storage unit identified by each storage unit identifier to each host computer having the application identified by each associated application identifier, wherein each storage unit is operable for use by an application that has been identified to the storage unit; and

wherein the association module includes a mapping table having at least one row~~one or more rows~~, each row of the mapping table including a storage unit identifier, and an application identifier, each row of the mapping table forming an association of a storage unit and an application.

2. (Previously Canceled)

3. (Original) The method of claim 1, wherein each application identifier includes a node name and a port name of a host bus adapter of the host computer having the application identified by the application identifier.

4. (Original) The method of claim 3, wherein the node name includes a World-Wide Name (WWN).

5. (Original) The method of claim 3, wherein the port name includes a World-Wide Name (WWN).

6. (Original) The method of claim 1, wherein the storage unit identifier includes a logical unit number (LUN).

7. (Currently Amended) A method for permitting access to at least one storage unit ~~one or more storage units~~ in an information handling system, the method comprising:

associating with an association module an application identifier and a storage unit identifier to form an association, each application identifier identifying an application of a host computer, each storage unit identifier identifying a storage unit of the information handling system;

receiving, at one of the ~~one or more storage unit~~[[s]], a request from a host, the request including a request application identifier; and

permitting access to the ~~one of the one or more storage unit~~[[s]] for use by an application associated with the request application identifier if the identifier of the ~~one of the one or more storage unit~~[[s]] and the request application identifier have an association in the association module,

wherein the association module includes a mapping table having at least one row ~~one or more rows~~, each row of the mapping table including a storage unit identifier, and an application identifier, each row of the mapping table forming an association of a storage unit and an application.

8. (Previously Canceled)

9. (Original) The method of claim 7, wherein each application identifier includes a node name and a port name of a host bus adapter of the host computer having the application identified by the application identifier.

10. (Original) The method of claim 9, wherein the node name includes a World-Wide Name (WWN).

11. (Original) The method of claim 9, wherein the port name includes a World-Wide Name (WWN).

12. (Original) The method of claim 7, wherein the storage unit identifier includes a logical unit number (LUN).

13. (Currently Amended) The method of claim 7, wherein creating an association module includes

selecting an application identifier; and

assigning at least one ~~one or more of the one or more~~ storage unit[[s]] to the host computer having the application identified by the application identifier.

14. (Currently Amended) A method for installing an application in a host computer of an information handling system, the information handling system including at least one ~~one or more~~ storage unit[[s]], the method comprising:

booting the host computer, the host computer including an application, the application having an application identifier;

selecting an application identifier;

assigning at least one ~~one or more of the one or more~~ storage unit[[s]] to the host,
the assigned ~~one or more~~ storage unit[[s]] being associated through an association module with
the application identifier to form an association, wherein each storage unit assigned is operable
for use by an application that has been identified to the storage unit and wherein the association
module includes a mapping table having one or more rows, each row of the mapping table
including a storage unit identifier, and an application identifier, each row of the mapping table
forming an association of a storage unit and an application; and

installing the application on the host computer.

15. (Original) The method of claim 14, further comprising:

booting the host computer;

selecting an application identifier, the application identifier being associated with
a desired application;

configuring the host computer to include the application identifier; and

booting the host computer.

16. (Currently Amended) An information handling system for assigning one or more
storage units to ~~one or more~~ at least one host connection[[s]], the system comprising:

~~one or more~~ at least one host computer[[s]] having ~~one or more~~ at least one
application[[s]], each ~~of the one or more~~ application[[s]] having an application identifier;

a storage medium interfaced with ~~the one or more~~ each host computer[[s]], the
storage medium including one or more storage units, each storage unit having a storage
identifier;

an association module associating at least one application identifier ~~one or more~~

~~application identifiers~~ and one or more storage unit identifiers to form an association, wherein the association module includes a mapping table having at least one row ~~one or more rows~~, each row of the mapping table including a storage unit identifier and an application identifier, each row of the mapping table forming an association of a storage unit and an application;

a control module in communication with the storage medium and ~~the one or more~~ each host connection~~[[s]]~~, the control module performs operations comprising:

associating at least one application identifier ~~one or more application identifiers~~ and one or more storage unit identifiers to form an association; and

for each association, assigning each storage unit identified by each storage unit identifier to each host having the application identified by each associated application identifier, wherein each storage unit assigned is operable for use only by each identified application~~[[;]]~~.

17. (Previously Canceled)

18. (Currently Amended) A computer program, stored in a computer-readable tangible medium, for assigning one or more storage units in an information handling system to one or more host connections, the computer program comprising executing instructions that cause an information handling system to:

associate with an association module at least one application identifier ~~one or more application identifiers~~ and one or more storage unit identifiers to form an association, each application identifier identifying an application of a host computer, each host computer having one or more host connections, each storage unit identifier identifying one or more storage units of the information handling system; and

for each association, assigning each storage unit identified by each storage unit

identifier to each host having the application identified by each associated application identifier, wherein each storage unit assigned is operable for use by an application that has been identified to the storage unit; and

wherein the association module includes a mapping table having at least one row ~~one or more rows~~, each row of the mapping table including a storage unit identifier and an application identifier, each row of the mapping table forming an association of a storage unit and an application.

19. (Previously Canceled)

20. (Currently Amended) A memory ~~data structure~~ for assigning one or more storage units of an information handling system to one or more host connections, the information handling system including one or more host computers having one or more applications, each of the one or more applications having an application identifier, each of the one or more storage units having a storage identifier, the ~~data structure~~ memory comprising:

a data structure stored in the memory, wherein the data structure comprises a mapping table having at least one row ~~one or more rows~~, each row of the mapping table including a storage unit identifier and an application identifier, each row of the mapping table forming an association of a storage unit identified by the storage identifier and a host having the application identified by each associated application identifier.